

LABORATORY INFORMATION SYSTEM – WHERE ARE WE TODAY? LABORATORIJSKI INFORMACIONI SISTEM – GDE SMO DANAS?

Vera Lukić

Department for Laboratory Investigation, Railway Health Care Institute, Belgrade, Serbia

Summary

Wider implementation of laboratory information systems (LIS) in clinical laboratories in Serbia has been initiated ten years ago. The first LIS in the Railway Health Care Institute has been implemented nine years ago. Before the LIS was initiated, manual admission procedures limited daily output of patients. Moreover, manual entering of patients data and ordering tests on analyzers was problematic and time consuming. After completing tests, laboratory personnel had to write results in patient register (with potential errors) and provide invoices for health insurance organisation. First LIS brought forward some advantages with regards to these obstacles, but it also showed various weaknesses. These can be summarised in rigidity of system and inability to fulfil user expectation. After 4 years of use, we replaced this system with another LIS. Hence, the main aim of this paper is to evaluate advantages of using LIS in laboratory of the Railway Health Care Institute and also to discuss further possibilities for its application. After implementing LIS, admission procedure has proven to be much faster. LIS enabled electronic requests, barcoded specimens prevent identification errors, bidirectional interface replaces redundant data entry steps, QC data are transferred automatically, results are electronically validated and automatically archived in data base, billing information is transferred electronically, and more. We also use some advanced options, like delta check, HIL feature, quality indicators and various types of reports. All steps in total testing process are drastically improved after the implementation of LIS, which had a positive impact on the quality of issued laboratory results. However, we expect development of some new features in the future, for example auto-verification and inventory management. On the example of the laboratory of the Railway Health Care Institute, we show that it is crucial that laboratory specialists have the main role in

Kratak sadržaj

Uvođenje laboratorijskih informacionih sistema (LIS) u širu upotrebu u Srbiji postalo je aktuelno u poslednjih desetak godina. U Zavodu za zdravstvenu zaštitu radnika »Železnice Srbije« prvi LIS je implementiran pre devet godina. Pre toga, dnevni broj pacijenata je bio ograničen zbog ručnih prijemnih procedura. Sledeći sporan korak koji je trošio vreme je bilo manuelno unošenje podataka o pacijentu i zadavanje analiza na analizatorima. Po završetku testiranja, laboranti su morali da prepisuju rezultate u protokol pacijenata (sa potencijalnim greškama) i prave fakturu za Republički fond zdravstvenog osiguranja. Prvi instalirani LIS doneo nam je neka unapređenja, ali je takođe ispoljio mnoge slabosti, koje u najkraćem mogu biti definisane kao rigidnost sistema i njegova nesposobnost da zadovolji očekivanja korisnika. Nakon četiri godine korišćenja, postojeći LIS smo zamenili novim. Cilj ovog članka je da evaluiira prednosti korišćenja LIS-a u laboratoriji Zavoda za zdravstvenu zaštitu radnika »Železnice Srbije« i razmotri njegove dodatne mogućnosti. U našoj laboratoriji, nakon uvođenja LIS-a, prijemne procedure su mnogo brže uz korišćenje elektronskog uputa. Barkodiranje uzoraka prevenira identifikacione greške, dvosmerna veza između LIS-a i analizatora zamenila je ručni unos podataka, rezultati kontrole kvaliteta se prenose u LIS automatski, nalazi se elektronski verifikuju i automatski trajno arhiviraju, faktura se formira i prosleđuje elektronski. Takođe, koristimo neke napredne opcije kao što su delta ček, HIL test, indikatori kvaliteta, razne vrste izveštaja. Sve faze procesa laboratorijskog testiranja su dramatično poboljšane nakon implementacije LIS-a i uočava se pozitivan uticaj na kvalitet izdatih laboratorijskih rezultata. U narednom periodu očekujemo razvoj i nekih novih opcija kao što su autoverifikacija i upravljanje zalihama reagenasa i potrošnog materijala. Na našem primeru možemo zaključiti da je od izuzetne važnosti da

Address for correspondence:

Vera Lukić
Department for Laboratory Investigation, Railway Health Care
Institute, Belgrade, Serbia
e-mail: veralukic.lab@gmail.com

defining desirable characteristics of LIS which institution aims to buy. This paper suggests that the main feature of LIS should be the flexibility of system and capability of adjustment to user needs and requests.

Keywords: laboratory information system, flexibility, advanced options

Background

Laboratory information system is a software which receives, processes and stores information generated by the laboratory workflow. It automates the workflow of all information related to total testing process (1). Wider implementation of LIS in Serbia has gained momentum in last ten years. It is expected that LIS facilitates communication between laboratory and clinicians and enables faster delivery of patient reports (2).

The main aim of this paper is to evaluate advantages which the laboratory of the Railway Health Care Institute experienced with the implementation of LIS, as well as to point out at some advanced options and possible further use of its features.

Workflow before LIS

In last few decades medical laboratories have experienced dramatic transformation, due to automation and development of information technology. This transformation can be presented on the example of the laboratory department in the Railway Health Care Institute. In the early 2000s, the Institute purchased high capacity automated analyzers for hematology, clinical chemistry and immunochemistry. This represented a huge breakthrough at the time. However, from today's point of view, there were significant imperfections and slowdowns in the working process. Here we point out at some tasks which wasted most of our time. In spite of high quality laboratory equipment, there were still too many manual procedures. Registration of patients was slow due to admission desk procedures which required hand writing of all patient data, as well as writing receipts for paid analyses. Admission desk represented a 'bottleneck' which limited daily number of patients, in spite of huge throughput capabilities of analyzers. Following that, all ordered tests were locally entered on analyzers. Thus, after obtaining results, patient reports were printed from each analyzer on individual slips of paper where different papers were attached in order to produce a final report for patient. This form of report was visually unacceptable and rather difficult to read due to different fonts and formats. After that, all results were rewritten by hand in paper protocols for permanent storage. At the afternoon shift, staff again went through all data and made invoices for health insur-

prilikom nabavke LIS-a, ključnu ulogu u definisanju željenih karakteristika sistema ima biohemičar. Glavna karakteristika LIS-a treba da bude njegova fleksibilnost i sposobnost prilagođavanja potrebama i zahtevima korisnika.

Ključne reči: laboratorijski informacioni sistem, fleksibilnost, napredne opcije

ance organization. Tubes were manually marked with IDs, as well as sample cups, and samples were aliquoted from tubes to cups. These actions represented a weak point for identification error, caused by personnel fatigue or lack of concentration. The results were then reviewed by clinical chemistry specialist in printed form, without access to previous results. Progressively, we have recognized an emerging need for implementation of laboratory information system in our everyday practice.

Implementation of LIS

First LIS was installed in our laboratory in 2008. It brought some advantages in terms of accelerations of admission procedures, but it did not fulfil our expectations. In the meantime, the laboratory purchased the last generation of analyzers, which caused additional inadequacy with LIS: it did not follow analyzers' possibilities and did not allow them to achieve their maximal performance. Moreover, LIS did not have capability to adjust to user needs. Its rigidity did not allow for further improvements, and it began to impede the efficiency of the laboratory. That made us aware that we had to acquire new LIS.

Replacing existing LIS with new one

Although literature data implies that laboratories change their LIS only every 10 to 20 years because it is an enormous undertaking (1), the laboratory of the Railway Health Care Institute had to do that only 4 years after the first installation. We defined clear list of requirements for the new LIS in order to avoid previously experienced obstacles. Our requirements were specific about each desired feature and function for each step of total testing process, from preanalytical to postanalytical phase. The following was crucial when choosing the appropriate LIS: laboratory specialists had to be deeply involved in the selection process, and particularly in direct discussion of each and single feature of LIS with vendor, or, even better, with software developer. In summer 2012, simultaneously with integration of clinical chemistry and immunochemistry module, the installation of new LIS was completed. Here we present some of the benefits of using the new LIS.

Firstly, the interface with hospital information system (HIS) enables use of electronic test request and eliminates paper request form, which drastically accelerated admission desk procedures. Electronic request enabled the quality of communication between laboratory and clinicians. Moreover, LIS performs automated printing of receipts and bills for analyses which patients pay at admission desk. Printing of patient's informed consent for venipuncture is also automated (3). By entering patient's information and test orders in LIS, system generates electronic invoice for health insurance organization, without any further need for additional actions of admission personnel. Complete electronic register of patients is printed at the end of the day, so that personnel is not required to manually write paper register in order to be in accordance with legislative.

All samples are signed with barcode labels, so we use primary tubes for test analyses. Additionally we ended the time consuming and error prone sample aliquoting to sample cups. Operators on laboratory analyzers are now fully concentrated on analytical phase, because local test ordering on analyzers is replaced by automated order transfer from LIS. Moreover, LIS has bidirectional interface with all analyzers, so there is no need for entering orders into analyzers manually, nor retyping results from analyzer into LIS. After tests completion, results are transmitted to LIS and available to biochemist for review and verification. For few analyses which have to be manually performed (urine sediment, FOBT), manual test result entry is facilitated by configured drop-down lists with offered values for each parameter. This makes a result input much faster and also prevents typing errors which were very frequent in previous LIS, and a reason for recall of reports during review.

Verification screen offers plenty of data. On the top of the screen there are demographic data about patient and his/her diagnosis. Then there is current report with highlighted results which fall outside of the reference range. When cursor is positioned on any measured parameter, three previous results for that parameter are displayed at the bottom of the screen. With simple button press, we can see all results for that parameter from all previous reports for that patient, which can be displayed numerically but also graphically. User can define delta check rules and there will be a pop-up window warning if the rules are violated. Also, we have configured critical values for some tests. If critical value is obtained for some patient, there will be red color alarm in LIS, which is visible to all logged users regardless of the part of the program they are currently using. System enables entering time of communication of critical value to the doctor, monitors turnaround time (TAT) and stores reports about all communicated critical values. In printed form, critical value is also specially marked. During verification, clinical chemistry specialist can also see results of quality control for each

parameter (4). Just as in patient results, all values of quality control are automatically transmitted to LIS, as QC files. Transfer of control values does not need any additional operator action, for example ordering in LIS or manual input of obtained values. LIS calculates running mean and standard deviation, and generates Levey-Jennings graph which can be seen from verification screen. Also, on verification screen we can see all values of repeated measurements, and we can choose which of them will be reported. On this screen we can also make comments for doctor or patient. These comments may be configured as typical, which occur frequently, but they can be also typed in a free form text. Moreover, we can make some technical comments which are visible just for laboratory personnel. After the validation is completed, reports are ready for printing or e-mailing. Also, validated results are automatically sent to electronic health record and are immediately available for the doctor.

When the patient is admitted to laboratory as an emergency case, LIS generates color-inversed barcode labels for samples, and they are clearly visible to all participants in laboratory testing process. Analyzers recognize such labeled samples as 'stat', and they are specially marked on verification screen to be treated as priority through the whole testing process, respecting turnaround time. For all patients, priority or regular ones, LIS makes precise evidence of time in performing each step in the testing process, so TAT for each patient is easily obtained from LIS. LIS also offers a wide spectrum of reports about the laboratory tests performed. Reporting data can be grouped by analyzers, time intervals, diagnosis, reference range, sex, doctor, and more. Additionally, it offers a variety of financial reports.

Access to the LIS is permitted only to the authorized staff with personal password. System continuously creates a log of all actions in the system identified by user, and all employees are aware that reports of all actions (with user names and exact time of performing actions) are periodically reviewed. Finally, LIS keeps a log of communication details with analyzers (ordering time, measuring time, time of results transmission). All these logs enable maximal traceability of results through laboratory (4).

Advanced options

LIS offers some advanced options, where some of them were developed or upgraded in the laboratory of the Railway Health Care Institute to respond to our requests and needs. For example, there are serum indices, verification rules, quality indicators, and inventory management.

The quality of laboratory results is highly dependent on sample quality, and that is why reliable detection of interferents presence is one of the crucial preanalytical steps in order to decrease the number of

laboratory errors. Visual estimation of hemolysis, icterus and lipemia is unreliable and time consuming, so it should be replaced by automated measuring of serum indices (5). The laboratory of the Railway Health Care Institute is one of the first in Serbia which has implemented systematic automated sample interference testing, which means that all serum tubes are being tested for hemolysis, icterus and lipemia (HIL test) on clinical chemistry analyzer. Achieving this kind of systematic approach is not possible without the support from LIS. Our LIS offers a possibility where user defines which analyte requires testing for one or more of these interferents. In such way, LIS alone orders HIL test from analyzer without any action of admission staff, or analyzer operator. Results of serum indices are automatically transmitted from the analyzer to LIS, and are available to clinical chemistry specialist for evaluation and decision making. Furthermore, we have configured some rules related to serum indices, so LIS generates pop-up windows which prevent verification if some of interferents is present in concentration which can significantly affect some of tests which are performed for that patient. This approach has enhanced systematic and objective detecting of presence of interferents in patient sample, as well as adequate further management of such samples and results. These performances provide high quality of reports and additional safety for our patients (6).

Besides for HIL indices, rules of verification can be configured in relation to some other laboratory situations: for example there is alert in LIS which prevents release of LDL calculated by Friedwald formula, if triglycerides are higher of 4.5 mmol/L. Hence, LIS enables autoverification feature that builds up on rules and algorithms for verification. We have made some trial steps, but this is huge, delicate and challenging job. We expect that autoverification is the future of our laboratory, and it will enable biochemist to stay focused on those results which require professional attention and additional evaluation.

LIS can also facilitate monitoring of quality indicators in medical laboratories. The identification and use of effective quality indicators in all phases of the total testing process is an essential requirement for laboratory accreditation, and for a valuable risk management strategy (7). Most laboratory specialists are aware that quality indicators are very important for quality of laboratory results. But, paradoxically, participation in available quality indicators programs is limited (8). We are aware that this is a difficult and demanding task. Nevertheless, LIS can help us with this. LIS enables recording of large number of quality indicators, and for some of them this is an automated process. For example: hemolysis in serum greater than 0.5 g/L of free hemoglobin, exceeded turnaround time for emergency requests, exceeded time for communication of critical results. Our laboratory participated in IFCC project »Model of quality indica-

tors«, and this has been facilitated mostly thanks to LIS. Reports about absolute and relative frequency in defined time interval are easily available for all recorded indicators.

An electronic stock is a feature we are still developing in our laboratory. It is conceptualized as an inventory management through LIS. When completed, it would enable monitoring of stock status for each article in laboratory and monitoring the expiry dates. Furthermore, it would facilitate ordering of inventory to prevent shortage, but also overstock of any item in the laboratory. Thus, we expect that this feature will optimize inventory management and ensure product availability.

Staff satisfaction

Literature data shows that during implementation of new technology procedures 20% of employees support change, 60% are unsure of change and 20% dislike change (9). However, the situation was completely different with implementation of new LIS in our laboratory. 100% of employees demonstrated readiness for change, due to daily improvements. Manually tasks were either reduced or completely eliminated at all positions by the introduction of new LIS, which increased pace of all procedures. Thus, all employees experienced benefits in their daily practice.

Conclusion: benefits of LIS implementation

The implementation of quality laboratory information system points out at some of the benefits for the laboratory: increased pace of patient admission, prevention of sample identification errors, prevention of test translation errors, permanent results storage in electronic form, prevention of billing errors, time saving and better staff organization. It should be emphasized that plenty of data available to biochemist during verification improves the quality of reported data and patient safety. Cancelling of manual entry of patient data and hand writing of test results, as well as repetitive job of aliquoting samples has enabled better redistribution of working tasks between the employees. This implies a step forward towards optimization of total testing process (10).

Finally, it is very important to highlight the key feature of good LIS as its flexibility, i.e. its ability of adjustment to user needs and integration with other systems (analyzers, HIS). Laboratory is a dynamic structure and rigid LIS can limit its development. Hence, quality and close cooperation between the software developers and laboratory specialists is necessary. It is very important that biochemist defines desirable LIS characteristics and suggests continuous changes which laboratory needs. Biochemist as user

of information system has to define needs and expectations from LIS clearly and precisely. Future successful application of LIS highly depends on the care with which details are specified. Moreover, it is necessary to engage staff to cooperate during test period for each LIS change, but also notice and report potential problems. Only an approach which implies continuous and patient collaborative work of biochemists and software developers can create ideal LIS for particular

laboratory needs (11). Thus, it holds potential to provide a stimulating environment for further development and success.

Conflict of interest statement

The authors stated that they have no conflicts of interest regarding the publication of this article.

References

1. Jackson BR, Harrison JH. Clinical laboratory informatics. In: Burtis CA, Ashwood ER, Bruns DE, editors. Tietz Fundamentals of clinical chemistry, 6th ed. St. Louis: Saunders Elsevier, 2008: 239–48.
2. Yusof MM, Arifin A. Towards an evaluation framework for laboratory information systems. *J Infect Public Heal* 2016; 9: 766–73.
3. Lima-Oliveira G, Lippi G, Luca Salvagno G, Picheth G, Cesare Guidi G. Laboratory diagnostics and quality of blood collection. *J Med Biochem* 2015; 34: 288–94.
4. Braga F, Infusino I, Panteghini M. Role and responsibilities of laboratory medicine specialists in the verification of metrological traceability of in vitro medical diagnostics. *J Med Biochem* 2015; 34: 282–7.
5. Simundic AM, Nikolac N, Ivankovic V, Ferenc-Ruzic D, Kvaternik M, Topic E. Comparison of visual vs. automated detection of lipemic, icteric and hemolyzed specimens: can we rely on a human eye? *Clin Chem Lab Med* 2009; 47(11): 1361–5.
6. Dolci A, Panteghini M. Harmonization of automated hemolysis index assessment and use: Is it possible? *Clin Chim Acta* 432 (2014) 38–43.
7. Plebani M, Sciacovelli L, Aita A, Chiozza ML. Harmonization of pre-analytical quality indicators. *Biochem Medica* 2014; 24(1): 105–13.
8. Plebani M. The quality indicator paradox. *Clin Chem Lab Med* 2016; 54(7): 1119–1122.
9. Villa D. Automation, lean, six sigma: synergies for improving laboratory efficiency. *J Med Biochem* 2010; 29: 339–48.
10. Aykil G, Keşaplı M, Aydın Ö, Esen H, Yeğın A, Güngör F, Yılmaz N. Pre-test and post-test applications to shape the education of phlebotomists in a quality management program: an experience in a training hospital. *J Med Biochem* 2016; 35: 347–53.
11. Theodorsson E. Quality assurance in clinical chemistry: a touch of statistics and a lot of common sense. *J Med Biochem* 2016; 35: 103–12.

Received: March 31, 2017

Accepted: April 5, 2017